



Purlins

Code	Dimensions					Mass Metres p/tonne	
	D mm	B mm	L mm	t mm	x mm	Area mm ²	lm/ tonne
Z100-15	102	53	49	13.5	1.5	323	391
Z100-19	102	53	48	15	1.9	409	305
Z150-12	152	65	61	16	1.2	354	349
Z150-15	152	65	61	16.5	1.5	443	284
Z150-19	152	65	61	17.5	1.9	561	225
Z150-24	152	66	60	19	2.4	710	177
Z200-15	203	79	74	15	1.5	555	228
Z200-19	203	79	74	15.5	1.9	713	179
Z200-24	203	79	73	20.5	2.4	902	149
Z250-19	254	79	74	18	1.9	808	155
Z250-24	254	79	73	20	2.4	1022	123



Code	Dimensions					Mass Metres p/tonne	
	D mm	B mm	L mm	t mm	x mm	Area mm ²	lm/ tonne
C100-15	102	51	13.5	1.5	16.1	323	391
C100-19	102	51	14.5	1.9	16.2	409	305
C150-12	152	64	15	1.2	19	354	349
C150-15	152	64	15.5	1.5	18.4	443	284
C150-19	152	64	16.5	1.9	18.5	561	225
C150-24	152	64	18	2.4	18.7	710	177
C200-15	203	76	15.5	1.5	19.9	555	228
C200-19	203	76	19	1.9	20.8	713	179
C200-24	203	76	20.5	2.4	20.9	902	149
C250-19	254	76	18.5	1.9	18.1	808	155
C250-24	254	76	20	2.4	18.3	1022	123

CORODEK®



metal gutter



metal fascia




Ridge Capping



Down pipes

TRIMCLAD®




Top Hat



Standard & Custom
Flashing

Mini-Corodek®



Roof Ventilators



Tek Screws

METROSPAN®

